THEORETICAL AND APPLIED GENETICS

Vol. 69 1984/85

International Journal of Breeding Research and Cell Genetics

Editorial Board

Managing Editor: H. F. Linskens, Nijmegen

H. Abplanalp, Davis, Calif
L. Alföldi, Szeged
J. S. F. Barker, Armidale
D. K. Belyaev, Novosibirsk
Y. Y. Gleba, Kiev
Å. Gustafsson, Lund
R. Hagemann, Halle/S.
Hu Han, Peking
A. L. Kahler, Brookings, SD
G. S. Khush, Manila
J. Mac Key, Uppsala
P. Maliga, Oakland, Calif
F. Mechelke, Stuttgart
G. Melchers, Tübingen
B. R. Murty, New Delhi
P. L. Pfahler, Gainesville, Fla
R. Riley, F. R. S., London
A. Robertson, F. R. S., Edinburgh
F. Salamini, Köln-Vogelsang
H. Stubbe, Gatersleben
P. M. A. Tigerstedt, Helsinki
K. Tsunewaki, Kyoto
L. D. Van Vleck, Ithaca, NY
G. Wenzel, Grünbach
D. von Wettstein, Copenhagen

Springer International

International Journal of Breeding Research and Cell Genetics

Founded in 1929 under the title 'Der Züchter' as a German journal for theoretical and applied genetics; changed from a national journal devoted almost exclusively to plant breeding to an international periodical for genetics and breeding research under the same title 'Der Züchter' in 1966; in 1968 to 'Theoretical and Applied Genetics'; edited by H. Stubbe from 1946 to 1976

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA

Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US $ 0.20 per page, or a minimum of US $ 1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0040-5752, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Other regulations

Authors publishing in this journal can, under certain conditions, benefit from library and photocopy fees collected by VG WORT. Authors resident in the Federal Republic of Germany or in West Berlin can apply to Verwertungsgesellschaft WORT, Abteilung Wissenschaft, Goethestraße 49, D-8000 München 2, for detailed information.

Printed in Germany – © Springer-Verlag Berlin Heidelberg 1984/85 · Springer-Verlag GmbH & Co. KG, D-1000 Berlin 33 · Printers: Graphischer Betrieb Konrad Triltsch, D-8700 Würzburg

Table of Contents

Abbott, A.: see Hutchinson, J. et al., 329
Adams, W.T.: see Friedman, S.T., 609
Ainsworth, C.C.; Johnson, H.M.; Jackson, E.A.; Miller, T.E.; Gale, M.D.: The chromosomal locations of leaf peroxidase genes in hexaploid wheat, rye and barley 205
Akoroda, M.O.: Variability, repeatability, character correlation and path coefficient analyses in yellow yam 217
Alahiotis, S.N.: see Kilias, G., 645
Aragoncillo, C.: see Fra-Mon, P. et al., 167

Baker, R.J.: see Mulitze, D.K., 553
Baker, R.J.: see Multize, D.K., 559
Balasch, S.; Nuez, F.; Palomares, G.; Cuartero, J.: Multivariate analysis applied to tomato hybrid production 39
Beckmann, J.S.: see Salts, Y. et al., 1
Bernard, S.: see Charmet, G., 55
Bernon, D.E.: see Chambers, J.R. et al., 23
Bianchi, F.: see Doodeman, M., 297
Bianchi, F.: see Doodeman, M. et al., 489
Bino, R.J.: Histological aspects of microsporogenesis in fertile, cytoplasmic male sterile and restored fertile *Petunia hybrida* 423
Bino, R.J.: see Doodeman, M. et al., 489
Bland, M.M.; Matzinger, D.F.; Levings, C.S., III: Comparison of the mitochondrial genome of *Nicotiana tabacum* with its progenitor species 535
Bliss, F.A.: see Gepts, P., 47
Blum, A.: see Mansur-Vergara, L. et al., 79
Bowen, S.J.; Washburn, K.W.: Genetics of heat tolerance and thyroid function in Athens-Canadian randombred chickens 15
Bradberry, D.: see Shewry, P.R. et al., 63
Bronstein, S.I.: see Zhuchenko, A.A. et al., 617
Browers, M.A.: see Orton, T.J., 637

Candela, M.: see Figueiras, A.M. et al., 659
Cappadocia, M.; Cheng, D.S.K.; Ludlum-Simonette, R.: Plant regeneration from in vitro culture of anthers of *Solanum chacoense* Bitt. and interspecific diploid hybrids *S. tuberosum L.* × *S. chacoense* Bitt. 139
Caro, R.F.; Grossman, M.; Fernando, R.L.: Effects of data imbalance on estimation of heritability 523
Carrillo, J.M.; Monteagudo, A.; Sanchez-Monge, E.: Inheritance of internode and culm length in hexaploid Triticale 285
Chambers, J.R.; Bernon, D.E.; Gavora, J.S.: Synthesis and parameters of new populations of meat-type chickens 23
Chandlee, J.M.; Scandalios, J.G.: Analysis of variants affecting the catalase developmental program in maize scutellum 71
Charmet, G.; Bernard, S.: Diallel analysis of androgenetic plant production in hexaploid Triticale (*X. triticosecale*, Wittmack) 55
Cheliak, W.M.; Morgan, K.; Dancik, B.P.; Strobeck, C.; Yeh, F.C.H.: Segregation of allozymes in megagametophytes of viable seed from a natural population of jack pine, *Pinus banksiana* Lamb. 145
Cheng, D.S.K.: see Cappadocia, M. et al., 139
Cherep, N.N.: see Gleba, Yu. et al., 121
Chetrit, P.; Mathieu, C.; Vedel, F.; Pelletier, G.; Primard, C.: Mitochondrial DNA polymorphism induced by protoplast fusion in Cruciferae 361
Chowdhury, M.K.U.: An improved method for dihaploid production in *Nicotiana rustica* through anther culture 199
Cody, A.M.: see Shoemaker, R.C. et al., 279
Cohan, F.M.: see Oakeshott, J.G. et al., 603
Collins, G.B.: see DeVerna, J.W., 187
Cuartero, J.: see Balasch, S. et al., 39

Dahiya, B.S.: see Gupta, K.R. et al., 133
Dancik, B.P.: see Cheliak, W.M. et al., 145
Dani, R.G.; Murty, B.R.: Genetic divergence and biology of adaptation in *Cicer arietinum* L. 383
DeVerna, J.W.; Collins, G.B.: Maternal haploids of *Petunia axillaris* (Lam.) B.S.P. via culture of placenta attached ovules 187
Dhillon, B.S.: see Khehra, A.S. et al., 259
Dhillon, B.S.: see Singh, H. et al., 179
Dhillon, B.S.: see Virk, D.S. et al., 325
Doodeman, M.; Bianchi, F.: Genetic analysis of instability in *Petunia hybrida*. 3. Periclinal chimeras resulting from frequent mutations of unstable alleles 297
Doodeman, M.; Bino, R.J.; Uytewaal, B.; Bianchi, F.: Genetic analysis of instability in *Petunia hybrida*. 4. The effect of environmental factors on the reversion rate of unstable alleles 489
Dujardin, M.; Hanna, W.: Cytogenetics of double cross hybrids between *Pennisetum americanum – P. purpureum* amphiploids and *P. americanum* × *Pennisetum squamulatum* interspecific hybrids 97

Eden, J. van: see Sybenga, J. et al., 313
Ellstrand, N.C.; Marshall, D.L.: The impact of domestication on distribution of allozyme variation within and among cultivars of radish, *Raphanus sativus L.* 393
Engvild, K.C.: Pollen irradiation and possible gene transfer in *Nicotiana* species 457

Falkenhagen, E.R.: Isozyme studies in provenance research of forest trees (Review) 335
Feldman, M.: see Galili, G., 583
Feldman, M.: see Levy, A.A. et al., 429
Fernando, R.L.: see Caro, R.F. et al., 523
Ferrer, E.; González, J.M.; Jouve, N.: The meiotic pairing of nine wheat chromosomes 193
Figueiras, A.M.; Candela, M.; Lacadena, J.R.: Pollen germination and tube growth in rye (*Secale cereale* L.) homozygous and heterozygous for reciprocal translocations 659
Flavell, R.B.: see Hutchinson, J. et al., 329
Flavell, R.B.: see Snape, J.W. et al., 263
Fra-Mon, P.; Salcedo, G.; Aragoncillo, C.; García-Olmedo, F.: Chromosomal assignment of genes controlling salt-soluble proteins (albumins and globulins) in wheat and related species 167
Frankel, R.: see Salts, Y. et al., 1
Franklin, J.: see Shewry, P.R. et al., 63
Frey, K.J.: see Takeda, K., 375
Friedman, S.T.; Adams, W.T.: Estimation of gene flow into two seed orchards of loblolly pine (*Pinus taeda* L.) 609
Frutos, R. de; Latorre, A.; Pascual, L.: Patterns of puffing activity and chromosomal polymorphism in *Drosophila subobscura*. 3. Puffing activity depression by inbreeding 101

Galan-Estella, F.: see Gonzalez-Julian, J., 293
Gale, M.D.: see Ainsworth, C.C. et al., 205
Galili, G.; Feldman, M.: Genetic control of endosperm proteins in wheat. 3. Allocation to chromosomes and differential expression of high molecular weight glutenin and gliadin genes in intervarietal substitution lines of common wheat 583
Galili, G.: see Levy, A.A. et al., 429
García-Olmedo, F.: see Fra-Mon, P. et al., 167
Gavora, J.S.: see Chambers, J.R. et al., 23
Gepts, P.; Bliss, F.A.: Enhanced available methionine concentration associated with higher phaseolin levels in common bean seeds 47
Gerechter-Amitai, Z.K.: see Mansur-Vergara, L. et al., 79
Gibson, J.B.: see Oakeshott, J.G. et al., 603
Gilbert, D.G.: Estimating single gene effects on quantitative traits. 1. A diallel method applied to Est 6 in *D. melanogaster* 625
Gilbert, D.G.: Estimating single gene effects on quantitative traits. 2. Statistical properties of five experimental methods 631
Gleba, Yu.; Kolesnik, N.N., Meshkene, I.V.; Cherep, N.N.; Parokonny, A.S.: Transmission genetics of the somatic hybridization process in *Nicotiana.* 1. Hybrids and cybrids among the regenerates from cloned protoplast fusion products 121
González, J.M.: see Ferrer, E. et al., 193
Gonzalez-Julian, J.; Galan-Estella, F.: Heterosis in the hybridisation between the monoecious and dioecious subspecies of *Ecballium elaterium* (L.) Richard 293
Grama, A.: see Mansur-Vergara, L. et al., 79
Grossman, M.: see Caro, R.F. et al., 523
Gupta, K.R.; Waldia, R.S.; Dahiya, B.S.; Singh, K.P.; Sood, D.R.: Inheritance of seed yield and quality traits in peas (*Pisum sativum* L.) 133
Gupta, P.K.: see Singh, D., 129
Gupta, P.K.: see Singh, D., 515

Haas, J.M. de: see Kool, A.J. et al., 223
Hanna, W.: see Dujardin, M., 97
Haour-Lurton, B.; Planchon, C.: Role of D-genome chromosomes in photosynthesis expression in wheats 443
Hartings, H.; Wijsman, H.J.W.: Genetics of the peroxidase isoenzymes in *Petunia.* 10. Location of the gene *prxD* 349
Hauptli, H.; Jain, S.: Allozyme variation and evolutionary relationships of grain amaranths (*Amaranthus* spp.) 153
Heda, G.D.; Reddy, G.M.: Studies on protein content and yield levels in rice 93
Heer, H.E.: see Long-Fang Oliver Chen et al., 271
Herrmann, R.G.: see Salts, Y. et al., 1
Hughes, W.G.: see Snape, J.W. et al., 263
Hutchinson, J.; Abbott, A.; O'Dell, M.; Flavell, R.B.: A rapid screening technique for the detection of repeated DNA sequences in plant tissues 329

Izhar, S.: see Salts, Y. et al., 1

Jackson, E.A.: see Ainsworth, C.C. et al., 205
Jain, S.: see Hauptli, H., 153
Jenns, A.E.; Leonard, K.J.: Reliability of statistical analyses for estimating relative specificity in quantitative resistance in a model host-pathogen system 503
Johansen, H.: see Østergaard, H. et al., 409
Johnson, H.M.: see Ainsworth, C.C. et al., 205
Jouve, N.: see Ferrer, E. et al., 193

Kawakami, J.: see Yano, M. et al., 253
Kemble, R.J.; Shepard, J.F.: Cytoplasmic DNA variation in a potato protoclonal population 211
Kenrick, J.; Knox, R.B.: Self-incompatibility in the nitrogen-fixing tree, *Acacia retinodes:* quantitative cytology of pollen tube growth 481
Khalil, M.A.K.: Heritability of juveniie characters of white spruce (*Picea glauca* (Moench.) Voss.) in central Newfoundland, Canada 247
Khehra, A.S.: see Singh, H. et al., 179
Khehra, A.S.; Singh, H.; Dhillon, B.S.: Genetic architecture of a heterotic cross between two populations of maize 259
Khehra, A.S.: see Virk, D.S. et al., 325
Kilias, G.; Alahiotis, S.N.: Indirect thermal selection in *Drosophila melanogaster* and adaptive consequences 645
Knox, R.B.: see Kenrick, J., 481
Kolesnik, N.N.: see Gleba, Yu. et al., 121
Konzak, C.F.: see Mansur-Vergara, L. et al., 79
Kool, A.J.; Haas, J.M. de; Mol, J.N.M.; Marrewijk, G.A.M. van: Isolation and physicochemical characterization of mitochondrial DNA from cultured cells of *Petunia hybrida* 223
Korol, A.B.: see Zhuchenko, A.A. et al., 617

Lacadena, J.R.: see Figueiras, A.M. et al., 659
Lal, S.; Singh, I.S.: Breeding for resistance to downy mildews and stalk rots in maize (Review) 111
Latorre, A.: see Frutos, R. de et al., 101
Lavi, U.: see Salts, Y. et al., 1
Leonard, K.J.: see Jenns, A.E., 503
Levings, C.S., III: see Bland, M.M. et al., 535
Levy, A.A.; Galili, G.; Feldman, M.: The effect of additions of *Aegilops longissima* chromosomes on grain protein in common wheat 429
Lokki, J.: see Teeri, T.H. et al., 567
Long-Fang Oliver Chen; Heer, H.E.; Palmer, R.G.: The frequency of polyembryonic seedlings and polyploids from ms_1 soybean 271
Luby, J.J.; Stuthman, D.D.; Phillips, R.L.: Micronuclei frequency and character coherence in *Avena sativa* L./*A. fatua* L. crosses 367
Ludlum-Simonette, R.: see Cappadocia, M. et al., 139
Lyrene, P.M.: see Munoz, C.E., 591

Mansur-Vergara, L.; Konzak, C.F.; Gerechter-Amitai, Z.K.; Grama, A.; Blum, A.: A computer-assisted examination of the storage protein genetic variation in 841 accessions of *Triticum dicoccoides* 79
Marrewijk, G.A.M. van: see Kool, A.J. et al., 223
Marshall, D.L.: see Ellstrand, N.C., 393
Marshall, D.R.; Weir, B.S.: Multiline varieties and disease control. 5. The "dirty crop" approach with complex mixtures of genotypes based on overlapping gene sets 463
Martínez-Zapater, J.M.: see Oliver, J.L., 305
Mathieu, C.: see Chetrit, P. et al., 361
Matzinger, D.F.: see Bland, M.M. et al., 535
McAllister, A.J.: see Nagai, J., 447
Meijs, Q.G. van der: see Sybenga, J. et al., 313
Meinke, D.W.: Embryo-lethal mutants of *Arabidopsis thaliana:* analysis of mutants with a wide range of lethal phases 543
Meshkene, I.V.: see Gleba, Yu. et al., 121
Metakovsky, E.V.; Novoselskaya, A.Yu.; Sozinov, A.A.: Genetic analysis of gliadin components in winter wheat using two-dimensional polyacrylamide gel electrophoresis 31
Miller, T.E.: see Ainsworth, C.C. et al., 205

Mol, J.N.M.: see Kool, A.J. et al., 223
Monteagudo, A.: see Carrillo, J.M. et al., 285
Morgan, K.: see Cheliak, W.M. et al., 145
Müller-Starck, G.; Ziehe, M.: Reproductive systems in conifer seed orchards. 3. Female and male fitnesses of individual clones realized in seeds of *Pinus sylvestris* L. 173
Mujeeb-Kazi, A.: Cytogenetics of a *Hordeum vulgare* × *Elymus patagonicus* hybrid (n=4x=28) 475
Mulcahy, D.L.: see Searcy, K.B., 597
Mulitze, D.K.; Baker, R.J.: Evaluation of biometrical methods for estimating the number of genes. 1. Effect of sample size 553
Mulitze, D.K.; Baker, R.J.: Evaluation of biometrical methods for estimating the number of genes. 2. Effect of type I and type II statistical errors 559
Munoz, C.E.; Lyrene, P.M.: In vitro attempts to overcome the crossincompatibility between *Vaccinium corymbosum* L. and *V. elliottii* Chapm. 591
Murty, B.R.: see Dani, R.G., 383
Murty, B.R.: see Valera Matos, M.A., 353

Nagai, J.; McAllister, A.J.: Comparison of lifetime performance in mice under crisscross, repeat hybrid male cross and random mating systems 447
Narasimhulu, S.B.; Reddy, G.M.: In vitro flowering and pod formation from cotyledons of groundnut (*Arachis hypogaea* L.) 87
Narayan, R.K.J.: see Ramachandran, C., 497
Nielsen, G.: see Østergaard, H. et al., 409
Novoselskaya, A.Yu.: see Metakovsky, E.V. et al., 31
Nuez, F.: see Balasch, S. et al., 39

Oakeshott, J.G.; Cohan, F.M.; Gibson, J.B.: Ethanol tolerances of *Drosophila melanogaster* populations selected on different concentrations of ethanol supplemented media 603
O'Dell, M.: see Hutchinson, J. et al., 329
O'Dell, M.: see Snape, J.W. et al., 263
Okuno, K.: see Yano, M. et al., 253
Oliver, J.L.; Martínez-Zapater, J.M.: A genetic classification of potato cultivars based on allozyme patterns 305
Omura, T.: see Yano, M. et al., 253
Orton, T.J.; Browers, M.A.: Segregation of genetic markers among plants regenerated from cultured anthers of broccoli (*Brassica oleracea* var. 'italica') 637
Østergaard, H.; Nielsen, G.; Johansen, H.: Genetic variation in cultivars of diploid ryegrass, *Lolium perenne* and *L. multiflorum*, at five enzyme systems 409

Palmer, R.G.: see Long-Fang Oliver Chen et al., 271
Palmer, R.G.: see Shoemaker, R.C. et al., 279
Palomares, G.: see Balasch, S. et al., 39
Pancaldi, C.: see Rocchetta, G. et al., 241
Parokonny, A.S.: see Gleba, Yu. et al., 121
Pascual, L.: see Frutos, R. de et al., 101
Payne, P.I.: see Snape, J.W. et al., 263
Peleg, N.: see Salts, Y. et al., 1
Pelletier, G.: see Chetrit, P. et al., 361
Phillips, R.L.: see Luby, J.J. et al., 367
Pickering, R.A.: see Thomas, H.M., 519
Planchon, C.: see Haour-Lurton, B., 443
Preigel, I.A.: see Zhuchenko, A.A. et al., 617
Primard, C.: see Chetrit, P. et al., 361
Pundir, R.P.S.; Singh, R.B.: Biosystematic relationships among *Cajanus, Atylosia,* and *Rhynchosia* species and evolution of pigeonpea (*Cajanus cajan* (L.) Millsp.) 531

Ramachandran, C.; Narayan, R.K.J.: Chromosomal DNA variations in *Cucumis* 497
Reddy, G.M.: see Heda, G.D., 93
Reddy, G.M.: see Narasimhulu, S.B., 87
Reisch, B.I.: see Sanford, J.C. et al., 571
Rocchetta, G.; Vanelli, M.L.; Pancaldi, C.: Body weight and growth rate in laboratory lines of *Poecilia reticulata* reared on two different diets 241
Roeterdink, B.W.: see Sybenga, J. et al., 313
Rowe, D.E.: Effects of random and non-random errors on phenotypic selection in autotetraploids 317

Salcedo, G.: see Fra-Mon, P. et al., 167
Salts, Y., Herrmann, R.G., Peleg, N., Lavi, U., Izhar, S., Frankel, R., Beckmann, J.S.: Physical mapping of plastid DNA variation among eleven *Nicotiana* species 1
Sanchez-Monge, E.: see Carrillo, J.M. et al., 285
Sanford, J.C.; Skubik, K.A.; Reisch, B.I.: Attempted pollen-mediated plant transformation employing genomic donor DNA 571
Satoh, H.: see Yano, M. et al., 253
Saura, A.: see Teeri, T.H. et al., 567
Sayed, H.I.: Diversity of salt tolerance in a germplasm collection of wheat (*Triticum* spp.) 651
Scandalios, J.G.: see Chandlee, J.M., 71
Searcy, K.B.; Mulcahy, D.L.: The parallel expression of metal tolerance in pollen and sporophytes of *Silene dioica* (L.) Clairv., *S. alba* (Mill.) Krause and *Mimulus guttatus* DC. 597
Shahin, E.A.: Totipotency of tomato protoplasts 235
Shepard, J.F.: see Kemble, R.J., 211
Shewry, P.R.; Bradberry, D.; Franklin, J.; White, R.P.: The chromosomal locations and linkage relationships of the structural genes for the prolamin storage proteins (secalins) of rye 63
Shoemaker, R.C.; Cody, A.M.; Palmer, R.G.: Characterization of a cytoplasmically inherited yellow foliar mutant (*cyt-*Y_3) in soybean 279
Singh, B.N.: Heterosis without selectional coadaptation in *Drosophila ananassae* 437
Singh, D.; Gupta, P.K.: Genetic divergence among thirty-one genotypes of toria (*Brassica campestris* L.) grown in twelve environments 129
Singh, D.; Gupta, P.K.: Selection of diverse genotypes for heterosis in yield and response in toria (*Brassica campestris* L.) 515
Singh, H.; Khehra, A.S.; Dhillon, B.S.: Estimates of gene frequencies in two heterotic maize populations 179
Singh, H.: see Khehra, A.S. et al., 259
Singh, I.S.: see Lal, S., 111
Singh, K.P.: see Gupta, K.R. et al., 133
Singh, R.B.: see Pundir, R.P.S., 531
Skubik, K.A.: see Sanford, J.C. et al., 571
Snape, J.W.; Flavell, R.B.; O'Dell, M.; Hughes, W.G.; Payne, P.I.: Intrachromosomal mapping of the nucleolar organiser region relative to three marker loci on chromosome 1B of wheat (*Triticum aestivum*) 263
Sood, D.R.: see Gupta, K.R. et al., 133
Sozinov, A.A.: see Metakovsky, E.V. et al., 31
Strobeck, C.: see Cheliak, W.M. et al., 145
Stuthman, D.D.: see Luby, J.J. et al., 367
Swedlund, B.; Vasil, I.K.: Cytogenetic characterization of embryogenic callus and regenerated plants of *Pennisetum americanum* (L.) K. Schum 575
Sybenga, J.; Eden, J. van; Meijs, Q.G. van der; Roeterdink, B.W.: Identification of the chromosomes of the rye translocation tester set 313

Takeda, K.; Frey, K.J.: Simultaneous selection for grain yield and protein percentage in backcross populations from *Avena sterilis* × *A. sativa* matings by using the independent culling levels procedure 375
Teeri, T.H.; Saura, A.; Lokki, J.: Insertion polymorphism in pea chloroplast DNA 567
Thomas, H.M.; Pickering, R.A.: Comparisons of the hybrids *Hordeum chilense* × *H. vulgare*, *H. chilense* × *H. bulbosum*, *H. chilense* × *Secale cereale* and the amphidiploid of *H. chilense* × *H. vulgare* 519

Uytewaal, B.: see Doodeman, M. et al., 489

Valera Matos, M.A.; Murty, B.R.: Genetic and physiological relationships in N, P and K mobilisation in some sorghum mutants and parents 353
Vanelli, M.L.: see Rocchetta, G. et al., 241
Vasil, I.K.: see Swedlund, B., 575
Vedel, F.: see Chetrit, P. et al., 361
Virk, D.S.; Khehra, A.S.; Virk, Parminder S.; Dhillon, B.S.: Comparative genetic analyses of metric traits using diallel and factorial mating designs in bread wheat 325
Virk, Parminder S.: see Virk, D.S. et al., 325

Waldia, R.S.: see Gupta, K.R. et al., 133
Washburn, K.W.: see Bowen, S.J., 15
Weir, B.S.: see Marshall, D.R., 463
White, R.P.: see Shewry, P.R. et al., 63
Wijsman, H.J.W.: see Hartings, H., 349
Wright, A.J.: Selection for improved yield in inter-specific mixtures or intercrops 399

Yano, M.; Okuno, K.; Kawakami, J.; Satoh, H.; Omura, T.: High amylose mutants of rice, *Oryza sativa* L. 253
Yeh, F.C.H.: see Cheliak, W.M. et al., 145

Zhuchenko, A.A.; Korol, A.B.; Preigel, I.A.; Bronstein, S.I.: The evolutionary role of the dependence of recombination on environment. Two and three loci models 617
Ziehe, M.: see Müller-Starck, G., 173

Book reviews 22, 38, 46, 54, 62, 70, 78, 92, 96, 120, 132, 138, 144, 234, 246, 252, 258, 262, 278, 292, 296, 312, 324, 334, 348, 352, 360, 374, 408, 456, 462, 480, 496, 514, 518, 542

Announcements 96, 334

Indexed in Current Contents

Acknowledgements

The editors wish to thank the following external referees for their assistance

W. T. Adams (Oregon)
R. A. Allard (California)
R. Baker (Saskatechwan, Canada)
J. Ballington (North Carolina)
D. D. Baltensberger (Gainesville)
R. D. Barnett (Quincy)
P. Batterham (Melbourne)
C. Bayinka (Szeged)
A. H. D. Brown (Canberra)
C. H. Chen (South Dakota)
F. A. Cholick (South Dakota)
P. Coleman (Florida)
T. Conkel (California)
R. L. Cooper (Ohio)
M. D. Cosler (Wisconsin)
T. S. Cox (Kansas)
L. Darrah (Missouri)
F. Dave (Alabama)
S. L. Desbourough (Minnesota)
J. Doebley (North Carolina)
D. Dudits (Szeged)
J. W. Dudley (Illinois)
C. D. Dybing (South Dakota)
G. N. Fick (Minnesota)
Z. Florence (Edmonton-Alberta, Canada)
S. Foster (Louisiana)
K. J. Frey (Ames)
C. O. Gardner (Nebraska)
M. Goodman (North Carolina)
W. Gottschalk (Bonn)
A. Hakim-Elaki (California)
A. R. Hallauer (Iowa)
J. J. Hammond (North Dakota)
J. G. Th. Hermsen (Wageningen)
J. Heslop-Harrison (Aberysthwith)
S. Jain (California)
J. W. James (New South Wales)
D. G. Johnson (Iowa)
D. G. Kenefick (South Dakota)
P. F. Knowles (California)
C. L. Lay (South Dakota)
S. K. St. Martin (Ohio)
S. W. McKechnie (Clayton)
R. H. Moll (North Carolina)
C. Moran (Sydney)
D. D. Morey (Tifton)
M. Morris (California)
D. L. Mulcahy (Amherst)
J. H. Orf (Minnesota)
C. Peach (South Dakota)
S. Price (Ohio)
C. O. Qualset (California)
E. Ryder (California)
M. Sahghi-Maroof (California)
W. T. Schapaugh (Kansas)
D. T. Sechler (Columbia)
M. C. Shannon (California)
D. V. Shaw (Alabama)
M. D. Simons (Iowa)
O. Smith (Iowa)
J. E. Specht (Nebraska)
S. St. Martin (Ohio)
J. E. Staub (Pennsylvania)
W. T. Starmer (Syracuse, NY)
R. W. Stonecyphen (Washington)
C. W. Stuber (North Carolina)
L. R. Teuber (California)
K. P. Vogel (Nebraska)
J. G. Waines (California)
C. F. Wehrhahn (Vancouver, Canada)
Z. Wicks (South Dakota)
A. J. Wright (Cambridge)
T. Wright (London)

as well as the assistance of Mrs. Ann Jenks-Coupland and Mrs. J. Smits-Broekmans at the editorial office